

## 300Mbps Mini Wireless N USB Adapter

Get Fast & Reliable Wi-Fi Anywhere

TL-WN823N







Mini Design



WPS Button

## Highlights

#### Mini, Mobile and Mighty

Smaller than a USB flash drive, enjoy a stable N300 Wi-Fi wherever you need it.

# 39mm & 65mm

#### One-Button Security

With a push of the WPS button, connect the TL-WN823N to the Wi-Fi network without typing a complex password, and stay protected with reliable security.




TP-Link 300Mbps Mini Wireless N USB Adapter

TL-WN823N

#### **Features**



· Fast Wi-Fi –Up to 300Mbps Wi-Fi speed for joyful surfing experience



· Backwards Compatibility – Supports routers utilizing 802.11 b/g/n Wi-Fi standards



· Mini design – The TL-WN823N is very small and can be left in a computer's USB port once plugged in



- Active Defense WPA/WPA2 encryption provides your Wi-Fi network with advanced protection against security threats
- WPS Button Easy wireless security encryption at a push of the WPS button

TP-Link 300Mbps Mini Wireless N USB Adapter

TL-WN823N

### **Specifications**

#### Wireless

- · Wireless Standard: IEEE 802.11b/g/n 2.4GHz
- · Frequency: 2.4GHz
- · Wireless Mode: Ad-Hoc / Infrastructure Mode
- · Wireless Security: WEP, WPA/WPA2, WPA-PSK/WPA2-PSK

#### Hardware

- · Interface: USB 2.0
- · LED: Status (Internal)
- Dimensions: 1.54 × 0.72 × 0.31 in (39 × 18.35 × 7.87 mm)

#### Others

- · Package Contents 300Mbps Mini Wireless N USB Adapter TL-WN823N Quick Installation Guide Resource CD
- · Certification FCC, CE, RoHS
- System Requirements Windows10/8.1/8/7/XP, Mac OS X 10.9-10.13, Linux
- Operating Temperature: 0  $^{\circ}\text{C}{\sim}40\,^{\circ}\text{C}$  (32  $^{\circ}\text{F}$   ${\sim}104\,^{\circ}\text{F})$ Storage Temperature: -40°C~70°C (-40°F~158°F) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing







For more information, please visit

http://www.tp-link.com/products/details/TL-WN823N.html

or scan the QR code left

www.tp-link.com

TP-Link 300Mbps Mini Wireless N USB Adapter